

SECTION 404 (2) (a) (ii)  
PRIMARY DIAGNOIS OF  
CONSUMERS SERVED  
FY 2007

## Overview

This section shows the primary diagnoses for the 213,257 consumers served during FY07 as reported to the encounter data Warehouse. The most common diagnosis was major depression (15.5%), followed by bi-polar disorder (11.7%) and mental retardation (11.1%).

CMHSP Client Level Encounter Data  
Primary Diagnosis Breakdown  
Fiscal Year 2006-2007  
State of Michigan

Primary Diagnosis	Total Served	Percentage
Major Depression	33,031	15.49%
Bipolar Disorder	24,951	11.70%
Mental Retardation	23,742	11.13%
Other Psychotic Disorders	17,029	7.99%
Attention Deficit and Disruptive Behavior	16,043	7.52%
Schizophrenia	14,285	6.70%
Adjustment Disorders	13,023	6.11%
Deferred	11,361	5.33%
Depressive Disorder NOS	10,890	5.11%
Anxiety Disorder	7,787	3.65%
Mood disorder NOS	7,457	3.50%
Substance-Abuse Related	6,917	3.24%
Pervasive Developmental Disorder	3,648	1.71%
Dysthymic Disorder	3,535	1.66%
Panic & Obsessive Compulsive Disorder	2,153	1.01%
Impulse Control Disorders	1,635	0.77%
Delirium, Dementia and Amnesic and Other Cognitive Disorder	1,507	0.71%
Other Disorders from Infancy/Childhood	1,481	0.69%
Personality Disorders Axis II	1,383	0.65%
Unspecified Mental Disorder	895	0.42%
Motor Skills Disorder	252	0.12%
Mental Disorder Due to a General Medical Condition	226	0.11%
Eating Disorder	104	0.05%
Sexual and Gender Identity Disorder	84	0.04%
Dissociative Disorder	81	0.04%
Somatoform Disorder	72	0.03%
Communication Disorder	72	0.03%
Tic Disorders	66	0.03%
Learning Disorder	59	0.03%
Elimination Disorders	45	0.02%
Sleep Disorders	38	0.02%
Feeding Eating Disorders of Infancy	23	0.01%
Factitious Disorder	5	0.00%
Other Conditions	5	0.00%
Missing/Unknown	9,372	4.39%
<b>Total</b>	<b>213,257</b>	<b>100.00%</b>